

DECLARATION OF PERFORMANCE (DOP)



CATEGORY | AGGREGATE CONCRETE MASONRY UNITS NO. 006-13

1. Unique identification of Product type:

Description	Characteristic Strength N/mm ²	Dimensions (Length - Width - Height)mm		
	13N/mm ² (Capped)	Length	Width	Height
6x4 Soapbar		440	100	140

2. Type batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4) of the CPR:

The production details are traceable by the delivery note

3. Intended use/s:

IS EN 771-3 2011 & BS EN 771-3 2011 - Aggregate Concrete Masonry Units intended for use in load bearing or non-load bearing buildings and civil engineering end uses

4. Manufacturer:

W & J Chambers Ltd, 91 Glenshane Road, Drumahoe, Co Londonderry BT47 3SG

5. Authorised representative:

Mr. Gordon Chambers Director of W&J Chambers LTD

6. System of AVCP:

System 2+

7. Harmonised standard:

EN 771-3 Specification for Masonry units Part 3: Aggregate Concrete Masonry Units (Dense & Lightweight aggregates)

8. Notification certification body:

National standards Authority of Ireland (NSAI)
0050 - CPR - 1056

9. Declared performance:

Essential characteristics	Declared Performance	Harmonised - technical specification
Dimensional Tolerance	D1	IS EN 772-16
Configuration	Group 1	IS EN 1996-1-1
Gross Density (Direct Airborne Sound Insulation)	2050 kg/m ³	IS EN 772-13
Compressive Strength (Characteristic)	13.0 N/mm ² (Capped)	IS EN 772-1
Dimensional Stability - Moisture Movement	<0.6mm/m	IS EN 772-14
Reaction To Fire	Class A1	Based on Commission Decision 200/605 EC - 96/603 EC (Tabulated Value)
Durability Against Freeze Thaw	Not to be left exposed.	N/A
Thermal Conductivity	1.10 W/mK(λ10, dry, unit, S1)	IS EN 1745 Annex A (Tabulated Value)
Water Absorption	<10g/m ² s	IS EN 772-11
Shear Bond Strength	0,15N/mm ²	IS EN 998-2 (Tabulated Value)
Water Vapour Permeability	5/15u	IS EN 1745 Annex A (Tabulated Value)
*Dangerous Substances	NPD	See note

* Information on dangerous substances will only be given when and where required in the appropriate form. See Annex ZA.3 of EN 771-3

Signed for and on behalf of W&J Chambers Ltd by:

Place & date of issue:

Drumahoe 26.11.20

