

W&J CHAMBERS LTD 91 GLENSHANE RD, DRUMAHOE, CO. LONDONDERRY, BT47 3SG

T +44(0)28 71301239 E headoffice@wjchambers.com W wjchambers.com

V.A.T Reg. No. GB 253 5059 67 IR. V.A.T Reg. No. IE 7404 637M

Company Reg. No. NI 28587

DECLARATION OF PERFORMANCE (DOP)



CATEGORY | AGGREGATE CONCRETE MASONRY UNITS NO. 008-13

1. Unique identification of Product type:

Description	CharacteristicStrength N/mm²	Dimensions (Length - Width - Height)mm		
	13N/mm² (Capped)	Length	Width	Height
14x12 Stumpy	W LOAD H	350	300	100

2. Type batch or serial number or any other element allowing identification of the construction product as required under Article 11 (4) of the CPR:

The production details are traceable by the delivery note

3. Intended use/s:

IS EN 771-3 2011 & BS EN 771-3 2011 - Aggregate Concrete Masonry Units intended for use in load bearing or non-load bearing buildings and civil engineering end uses

4. Manufacturer:

W & J Chambers Ltd, 91 Glenshane Road, Drumahoe, Co Londonderry BT47 3SG

5. Authorised representative:

Mr. Gordon Chambers Director of W&J Chambers LTD

6. System of AVCP:

System 2+

7. Harmonised standard:

EN 771-3 Specification for Masonry units Part 3: Aggregate Concrete Masonry Units (Dense & Lightweight aggregates)

8. Notification certification body:

National standards Authority of Ireland (NSAI) 0050 - CPR - 1056

9. Declared performance:

(Featured on next page)





CONCRETE PRODUCTS

W&J CHAMBERS LTD 91 GLENSHANE RD, DRUMAHOE, CO. LONDONDERRY, BT47 3SG

T +44(0)28 71301239 E headoffice@wjchambers.com W wjchambers.com

V.A.T Reg. No. GB 253 5059 67 IR. V.A.T Reg. No. IE 7404 637M

Company Reg. No. NI 28587

9. Declared performance:

Essential characteristics	Declared Performance	Harmonised - technical specification				
Dimensional Tolerance	D1	IS EN 772-16				
Configuration	Group 1	IS EN 1996-1-1				
Gross Density (Direct Airborne Sound Insulation)	≥2000 kg	IS EN 772-13				
Compressive Strength (Characteristic)	13 N/mm² (Capped)	IS EN 772-1				
Dimensional Stability - Moisture Movement	<0.6mm/m	IS EN 772-14 Movement joints required at 7 Meter centres as per clause 5.4.3.4 of SR 325(or as specified by competent person (Annex C.6 of S.R. 325:2013+A2:2018 & Table NA.6 of NA:2010+A1:2014 to I.S. EN 1996-1-1:2005+A1:2012 NDP)				
Reaction To Fire	Euroclass A1	Based on Commission Decision 200/605 EC amending 96/603 EC (Refer to I.S. EN 1996-1-2 National Annex Table NA. 3.1/3.2 & 3.3 for fire ratings of wall constructed with Class A1 units				
Durability Against Freeze Thaw	Masonry Conditions/Situations in Table 14 (Durability of masonry in finished construction) of S.R. 325:2013+A2:2018 and used in accordance with N1k Irish EU Building Regulations (including Technical Guidance Documents C & D), Eurocodes, 1.S. EN 13914 - 1 & 2: 2016 and S.R. 325:2013+A2:2018 Masonry Conditions/Situations A1 and A2 (Work below or near external ground level) and D (Rendered external walls (other than chimneys, capping's, copings, parapets, sills) - Classes MX2.1/2.2/3.1: Category I, Group:	- EU Irish Building Regulations (Including Technical Guidance Documents C & D) - Eurocodes - I.S. EN 1996-1-1:2005 (Eurocode 6: Design of masonry structures. General rules for reinforced and unreinforced masonry structures (+A1:2012) (including EU Irish National Annex +A1:2014)) - I.S. EN 1996-2:2006 (Eurocode 6: Design of masonry structures. Design considerations, selection of materials and execution of masonry (includes Irish National Annex +NA:2010)) - S.R. 325:2013+A2:2018 (including Clause 5.5 (Exclusion of moisture), Clause 5.6 (Durability) & Table 14) - I.S. EN 13914 - 1 & 2: 2016 Table 14 of S.R. 325:2013+A2:2018: Masonry Conditions/Situations: - A1 - Low Risk of Saturation (I) Without Freezing (MX2.1, MX2.2) (2) With Freezing (MX2.1, MX2.2) - A3 - High Risk of Saturation without Freezing (MX2.2) - A3 - High Risk of Saturation (MX3.1) - C2 - High Risk of Saturation (MX3.1) - C2 - High Risk of Saturation (MX3.2) See masonry mortar strength classes in Table NA.3 of National Annex in I.S. EN 1996-1-1:2005. Table A.1 (Classification of micro conditions of exposure of completed masonry) of I.S. EN 1996-2:2006. All masonry units produced with aggregate in accordance with I.S. EN 12620 (Aggregates for concrete) and S.R. 16:2016 (Guidance on the use of I.S. EN 12620, Aggregates for concrete) - MX2.1 - Exposed to moisture but not exposed to freeze/thaw cycling or external sources of significant levels of sulphates or aggressive chemicals - MX2.2 - Exposed to severe wetting but not exposed to freeze/thaw cycling or external sources of significant levels of sulphates or aggressive chemicals - MX3.2 - Exposed to severe wetting and freeze/thaw cycling but not exposed to external sources of significant levels of sulphates or aggressive chemicals - MX3.2 - Exposed to severe wetting and freeze/thaw cycling but not exposed to external sources of significant levels of sulphates or aggressive chemicals. For Render (Including mix, thickness, and number of coats), see S.R. 325:2013+A2:2018 (including Clause 5.5.3.2.1 (
Thermal Conductivity	1.10 W/mK(10, dry)	IS EN 1745 Annex A (Tabulated Value)				
Water Absorption	<10g/m²s	IS EN 772-11				
Shear Bond Strength	0,15N/mm²	IS EN 998-2 (Tabulated Value)				
Water Vapour Permeability	5/15 <i>u</i>	IS EN 1745 Annex A (Tabulated Value)				
*Dangerous Substances	NONE	Cement, Aggregate & Water comply with Relevant EN's and National SR's which prohibit the use of Dangerous substances				

Signea	101	anu	011	benan	01	W& J	chambers	Llu	Dy:
_						-			-

Place & date of issue:

22/2/24

